



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/038,787

12/31/2001

Peter L. Doyle

42390.P11486

4083

8791

7590

05/11/2004

BLAKELY SOKOLOFF TAYLOR & ZAFMAN  
12400 WILSHIRE BOULEVARD, SEVENTH FLOOR  
LOS ANGELES, CA 90025

EXAMINER

CASCHERA, ANTONIO A

ART UNIT

PAPER NUMBER

2676

7

DATE MAILED: 05/11/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

10/038,787

Applicant(s)

DOYLE, PETER L.

Examiner

Antonio A Caschera

Art Unit

2676

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 30 March 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-25 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-25 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 30 March 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |   |   |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                        | 4) <input checked="" type="checkbox"/> Interview Summary (PTO-413)          |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)    | Paper No(s)/Mail Date. <u>6</u>   |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____   | 6) <input type="checkbox"/> Other: _____                                    |

## DETAILED ACTION

### *Priority*

1. Acknowledgment is made of applicant's claim for foreign priority under 35 U.S.C. 119(a)-(d). The certified copy has been filed in the pending application.

### *Claim Rejections - 35 USC § 112*

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

2. Claims 1-25 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

Claims 1, 11 and 21 recite the newly added limitation, "...wherein the first rectangle handles color buffer resolutions larger than could be otherwise accommodated by image limits," (see claims 1, 11 and 21, lines 3-6) amended to original claim language, "...defining a visible region in screen coordinates using a first rectangle," (see claims 1, 11 and 21, lines 2-3) which do not correspond to the originally filed specification. On page 4 of the specification, the applicant recites, "...the binner clipping rectangle is used to define the visible region in screen coordinates," (see page 4, under "Detailed Description", lines 5-6) but then mentions, "The bin

Art Unit: 2676

array rectangle handles color buffer resolutions larger than could otherwise be accommodated by the optimally-rendered image limits,” (see page 4, under “Detailed Description”, lines 8-9). The specification recites a first rectangle for handling color buffer resolutions larger than could be otherwise accommodate by image limits named, “bin array rectangle” and a second rectangle defining a visible region in screen coordinates named, “binner clipping rectangle.” The amended claim language of claims 1, 11 and 21 recite one rectangle, performing these features which, as stated above, is not in accordance with the originally filed specification and therefore produces new matter issues.

Claims 1 and 11 recite the newly added limitation, “...wherein the second rectangle is used for trivial rejection,” (see claims 1 and 11, lines 6-8) amended to original claim language, “...handling buffer resolutions using a second rectangle...” (see claims 1 and 11, lines 6-7) which do not correspond to the originally filed specification. On page 4 of the specification, the applicant recites, “...the binner clipping rectangle is used to define the visible region in screen coordinates,” (see page 4, under “Detailed Description”, lines 5-6) and, “The bin array rectangle handles color buffer resolutions larger than could otherwise be accommodated by the optimally-rendered image limits,” (see page 4, under “Detailed Description”, lines 8-9). On page 13 of the specification, the applicant recites, “...the binner clipping rectangle 186 is used for trivial rejection...(see page 1, line 1 of specification). The specification recites a first rectangle for handling color buffer resolutions named, “bin array rectangle” and a second rectangle used for trivial rejection named, “binner clipping rectangle.” The amended claim language of claims 1 and 11 recite a “second rectangle” used for both trivial rejections and handling buffer resolutions however, as stated above, the specification explains two separate rectangles for performing the

Art Unit: 2676

above features therefore, the amended claim language is not in accordance with the originally filed specification and therefore produces new matter issues.

Note, no further prior art rejections can be made until the above new matter issue is resolved.

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1, 2, 4, 6-8, 10-12, 14, 16-18, 20-22 and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Liu et al. (U.S. Patent 6,144,387) in view of Smith et al. (U.S. Patent 6,424,345 B1).

In reference to claims 1, 11 and 21, Liu et al. discloses a rendering method and system for image clipping of a display image area in a guard memory region (see column 3, lines 10-24 and Figures 6 and 7). Liu et al. discloses determining object-zone intersections for objects in a scene by determining the intersections of object vertices in comparison to clipping and guard memory regions (see Figure 6). Liu et al. discloses defining a visible region using a first rectangle as a display image area in guard memory (see #410 of Figures 5a & 5b). Note, the office interprets the display image area defined with screen coordinates because the display image area is located within guard memory which stores pixel data. Liu et al. also discloses the guard memory storing a set of pixels of an image plane, arranged in a pixel array, which extends beyond the display

Art Unit: 2676

image area of the image plane (see column 3, lines 13-16, column 5, 19-25 and #510 of Figures 5a & 5b). Note, the office interprets the “second rectangle” of applicant’s claims substantially similar in functionality to the guard memory boundaries as the guard memory stores pixel data, well known to comprise of color data (see column 1, lines 28-30), and effects the number of clipping operations performed as the size or resolution of the memory is varied. Also note, the office interprets applicant’s “area threshold” substantially similar to the size of the guard memory. Liu et al. discloses discarding objects completely outside the display image area as projection #400d in Figure 5a is discarded and not shown in Figure 5b (see column 5, lines 30-42). Note, the limitation of, “in one or more directions” is seen to be inherent to the clipping method and apparatus of Liu et al. as Liu et al. explicitly discloses discarding projections located entirely outside display image area (see column 5, lines 35-37). Liu et al. does not explicitly disclose subjecting non-discarded objects to bin determination however Smith et al. does. Smith et al. discloses a method for rendering polygons in a computer graphics system using clipping and binning techniques (see lines 1-8 of abstract and #208 of Figure 3). Smith et al. also discloses utilizing a, “binsorter” to identify which tiles, sub-regions of a display, are intersected by an object by defining the determination region with a bounding box (see column 6, lines 10-20 and Figure 7). It would have been obvious to one of ordinary skill in the art at the time the invention was made to implement the rendering method and system of Liu et al. with the clipping and binning techniques of Smith et al. in order to improve performance and reduce costs of a 3-D graphics unit by allowing for the final processed image to be stored in a fixed region of on-chip video memory, reducing memory access bandwidth and enabling the use of a conventional display controller hardware (see columns 3, lines 32-37 and column 4, lines 28-40

Art Unit: 2676

of Smith et al.). Note, in reference to claim 11, Liu et al. also discloses a machine readable medium having stored a plurality of instructions to execute the rendering methods as disclosed above (see columns 7-8, lines 60-31). Smith et al. does not explicitly disclose instructions for performing bin determination on non-discarded objects however, it is well known in the art that graphics processing cannot be executed without some type of processing unit and instructions to direct the processing unit on how to process the data (Official Notice). Further, some device must be instructed to execute the processing of data in order for the “binning” of data into specific sub-regions of memory to occur. Therefore, it would have been obvious to one of ordinary skill in the art to implement instructions for performing the bin determination of Smith et al. Note, in reference to claim 21, Liu et al. discloses performing the above disclosed rendering techniques in a rendering system (see column 6, lines 27-33 and Figure 7).

In reference to claims 2, 12 and 22, Liu et al. and Smith et al. disclose all of the claim limitations as applied to claims 1, 11 and 21 respectively above. Liu et al. discloses defining a visible region using a first rectangle as a display image area in guard memory (see #410 of Figures 5a & 5b). ). Liu et al. also discloses the guard memory storing a set of pixels of an image plane, arranged in a pixel array, which extends beyond the display image area of the image plane (see column 3, lines 13-16, column 5, 19-25 and #510 of Figures 5a & 5b). Note, the office interprets the “first rectangle” of applicant’s claims to coincide with the area of a color buffer because the guard memory stores pixel data, well known to comprise of color data (see column 1, lines 28-30 of Liu et al.).

In reference to claims 4, 14 and 24, Liu et al. and Smith et al. disclose all of the claim limitations as applied to claims 1, 11 and 21 respectively above. Neither Liu et al. nor Smith et

Art Unit: 2676

al. explicitly disclose rendering portions of the scene non-optimally when the buffer resolution exceeds the threshold however, ideally, a video buffer is configured to store a just amount of data so as to allow for peak optimal processing. Further, it is well known in the art that if a buffer size is increased, more data is stored and processed, requiring more processing cycles and resources to render the data (Official Notice). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to “non-optimally” render the scene when the buffer resolution had exceeded the threshold.

In reference to claims 6 and 16, Liu et al. and Smith et al. disclose all of the claim limitations as applied to claims 1 and 11 above in addition, Smith et al. discloses configuring the processing of object information in tiles of the display based on a test from a bounding box enclosing the object (see column 6, lines 21-28). Note, the office interprets Smith et al. to disclose the buffer resolution, represented by the second rectangle, to be at or below the threshold because the office interprets the second rectangle substantially similar to the rectangle representing a portion of the display of Smith et al. (see column 6, lines 13-15 and Figure 7).

In reference to claims 7, 8, 17 and 18, Liu et al. and Smith et al. disclose all of the claim limitations as applied to claims 1 and 11 above in addition, Smith et al. discloses aligning the corner of the second rectangle to a zone and configuring the width of the second rectangle to be a multiple of a zone width (see outer rectangle representing portion of display #50 of Figure 7). Note, the office interprets Smith et al. to disclose the buffer resolution, represented by the second rectangle, to be at or below the threshold because the office interprets the second rectangle substantially similar to the rectangle representing a portion of the display of Smith et al. (see column 6, lines 13-15 and Figure 7). Further, since the corners of the outer rectangle are aligned



Art Unit: 2676

with tile corners the office interprets the outer rectangle configured to be a multiple of a zone width which the office interprets as being substantially similar to the threshold (see outer rectangle of Figure 7 which is represented by 4 tile widths, #52a-d).

In reference to claims 10 and 20, Liu et al. and Smith et al. disclose all of the claim limitations as applied to claims 1 and 11 respectively above. Although Smith et al. discloses the zones to have the same size when first and second rectangles are not coinciding (see tiles 52a-p of Figure 7), neither Liu et al. nor Smith et al. explicitly disclose configuring zones having a same size when the first and second rectangles coincide. At the time the invention was made, it would have been obvious to one of ordinary skill in the art to configure the sizes of the tiles of Smith et al. to be the equal even when both rectangles coincide. Applicant has not disclosed that configuring zones to have the same size when both buffer and display view representative rectangles coincide provides an advantage, is used for a particular purpose, or solves a stated problem. One of ordinary skill in the art, furthermore, would have expected Applicant's invention to perform equally well with tile sizing configuration of Smith et al. because Smith et al. discloses a second intersection processing stage where a more precise tile intersection process is performed therefore, tiles of all the same size are not necessarily needed. Therefore, it would have been obvious to one of ordinary skill in this art to modify Smith et al. to obtain the invention as specified in claims 10 and 20.

4. Claims 3, 13 and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Liu et al. (U.S. Patent 6,144,387), Smith et al. (U.S. Patent 6,424,345 B1) and further in view of Callahan et al. (U.S. Patent 4,982,345).

Art Unit: 2676

In reference to claims 3, 13 and 23, Liu et al. and Smith et al. disclose all of the claim limitations as applied to claims 1, 11 and 21 respectively above. Neither Liu et al. nor Smith et al. explicitly disclose defining the first and second rectangles by state variables containing screen space location of rectangle corners however Callahan et al. does. Callahan et al. discloses an interactive computer graphics system for clipping an operator selected area of a display (see lines 1-27 of abstract). Callahan et al. discloses defining first and second rectangles representing two viewport windows, used in clipping, by rectangle corner screen coordinate space variables (see columns 5-6, lines 67-25 and Figure 3B). It would have been obvious to one of ordinary skill in the art at the time the invention was made to implement the rectangle locating variables of Callahan et al. with the rendering method and system of Liu et al. and the clipping and binning techniques of Smith et al. in order to obtain the position of the rectangles in display device screen space and correspond these positions to buffered screen space display data thereby making a more efficient interactive graphics system (see columns 1-2, lines 64-2 of Callahan et al.).

5. Claims 5, 9, 15, 19 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Liu et al. (U.S. Patent 6,144,387), Smith et al. (U.S. Patent 6,424,345 B1) and further in view of Fliflet (U.S. Patent Application Publication 2002/0140710 A1).

In reference to claims 5, 15 and 25, Liu et al. and Smith et al. disclose all of the claim limitations as applied to claims 4, 14 and 24 respectively above. Neither Liu et al. nor Smith et al. explicitly disclose rendering zones larger than optimal zone size when the buffer resolution exceeds a threshold however Fliflet does. Fliflet discloses a method for balancing workloads in software and hardware associated with a zone renderer (see lines 1-2 of abstract) where the effect of adjusting the size of a zone increases or decreases cache efficiency and processor workload

Art Unit: 2676

(see paragraph 38, last 4 lines). Fliflet also discloses the zone size capable of being adjusted within a range between the cache size (minimum) and the screen size (maximum) (see paragraph 45, lines 1-3). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to increase zone size to larger than optimal size when a buffer resolution exceeds a threshold with the rendering method and system of Liu et al. and the clipping and binning techniques of Smith et al. in order to compensate for the extra amount of data which exceeds the buffer resolution threshold thereby greatly effecting optimal overall system performance (see paragraph 38, lines 6-17 of Fliflet).

In reference to claims 9 and 19, Liu et al. and Smith et al. disclose all of the claim limitations as applied to claims 1 and 11 respectively above. Neither Liu et al. nor Smith et al. explicitly disclose extending zones along the edges of the second rectangle out to the first rectangle boundaries to define zones larger than optimal zone size when the second rectangle is smaller than the first. Fliflet discloses a method for balancing workloads in software and hardware associated with a zone renderer (see lines 1-2 of abstract) where the size of a zone is capable of being adjusted within a range between the cache size (minimum) and the screen size (maximum) (see paragraph 45, lines 1-3). Further, when the second rectangle is smaller than the first rectangle of applicant's claims, the buffer resolution has exceeded the threshold because there is more data to be rendered than able to be rendered by the current size of the buffer. Therefore, expanding zone sizes out to the edges of the first rectangle, disclosed by Fliflet to greatly effect system performance (see paragraph 38, lines 6-17), would have been obvious to one of ordinary skill in the art at the time the invention was made in order to compensate for the extra amount of data which exceeds the buffer resolution threshold by also processing such

Art Unit: 2676

exceeded data. It would have been obvious to one of ordinary skill in the art at the time the invention was made to adjust zone sizes to edges of a first rectangle when a second rectangle is smaller than a first rectangle with the rendering method and system of Liu et al. and the clipping and binning techniques of Smith et al. in order to compensate for the extra amount of data which exceeds the buffer resolution threshold thereby greatly effecting optimal overall system performance (see paragraph 38, lines 6-17 of Fliflet).

### *Response to Arguments*

6. Applicant's arguments, see page 8 of Applicant's Remarks, filed 3/30/04, with respect to the specification have been fully considered and are persuasive. The objection of specification has been withdrawn since minor informalities have been corrected.

7. Applicant's arguments, see page 8 of Applicant's Remarks, filed 3/30/04, with respect to the drawings have been fully considered and are persuasive. The objection of drawings has been withdrawn since informalities pertaining to the reference numbers of Figure 2 have been corrected.

8. Applicant's arguments with respect to claims 1-25 have been considered but are moot in view of the new matter ground(s) of rejection.

### *Conclusion*

**THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 2676

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Antonio Caschera whose telephone number is (703) 305-1391. The examiner can normally be reached Monday-Thursday and alternate Fridays between 7:00 AM and 4:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew Bella, can be reached at (703)-308-6829.

**Any response to this action should be mailed to:**

Commissioner of Patents and Trademarks

Washington, D.C. 20231


**or faxed to:**

**(703) 872-9314 (for Technology Center 2600 only)**

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive, Arlington, VA, Sixth Floor (Receptionist).

Art Unit: 2676

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Technology Center 2600 Customer Service Office whose telephone number is (703) 306-0377.



MATTHEW C. BELLA  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2600

aac

5/4/04